



CLEANING EQUIPMENT



Cleaning Equipment

Ultimate Cleaning Solutions

ATECPOOL Cleaning Solutions offers the complete range of accessories you need for maintaining your swimming pool and spas under approved quality standards.

It is always challenging undertaking cleaning and the perfect maintenance of domestic and public swimming pools. **ATECPOOL** introduce premium range of cleaning



accessories under Cleanstar, a reliable and durable maintenance kit for your pool and spas.

Our technologies can turn your experience into an extremely rewarding one, by adding quality and safety with a low maintenance routine, giving you and your family quality moments.

Atecpool Pool Robot

i-PoolRacer

i-PoolRacer

The i-PoolRacer robotic pool cleaner by Atecpool is an ideal solution of money saving and hassle free cleaning for your pools. It's suitable for floor, wall and waterline cleaning pool of all shapes.

Pool Robot S200i




09S200i



Features

- 2-motor model that can clean the pool floor, wall and waterline
- Designed for both above-ground and in-ground pools of all shapes and materials up to 130 m²
- It is equipped with 2 large-volume filter basket and can be taken out from the top maintained easily
- Equipped with a convenient central box where users can choose 3 working cycles according to the level of debris in pools



Code	Description
09S200i	i-PoolRacer Robotic Pool Cleaner 150W

Specification	
Input Voltage	110 V or 220 V
Input frequency	50 Hz or 60 Hz
Output voltage	DC 28 V
Power	150 W
Cable	15 m
Max Cleaning Area	130 m ²
Flow rate	16 m ³ / h
Filter density	180 m
Running speed	10 m / min
Working cycle	1 / 2 / 3 h
Max. pool depth	2 m
Net weight	10.5 kg
Gross weight	14 kg
Packaging size	66x48x31.5 cm




Control box
3 working cycles:

⌚ 1 / 2 / 3h



3D gyroscope
navigation



Patented cleaning
route design



Intelligent Remote
Control

Pool Robot

i-PoolRaptor

i-PoolRaptor

Atecpool i-PoolRaptor is a 2-motor model able to clean the pool floor, wall and waterline.

Designed for both above-ground and in-ground pools of all shapes and materials (tile, liner, polyester, concrete, etc) up to 200m². Equipped with 2 large-volume filter baskets that can be taken out from the top and maintained easily. Equipped with a convenient control box where users can choose 3 working cycles according to the level of debris in the pool. Can be equipped with a shining LED bar around the body (09S300iL), by which the robot will illuminate the pool at night offering a pleasant environment.



09S300i



09S300iL



Top access to
filter baskets



2 large volume filter
baskets



Optional remote
control



Optional caddy

09S300i / 09S300iL	Specification
Input Voltage	110 V or 220 V
Input frequency	50 Hz or 60 Hz
Output voltage	DC 20 V
Power	200 W
Cable	18 m
Max Cleaning Area	200 m²
Flow rate	20 m³ / h
Filter density	180 pm
Running speed	12.5 m / min
Working cycle	2 / 3 / 4 h
Max. pool depth	2 m
Net weight	16 kg
Gross weight	20 kg
Packaging size	76x54x31.5 cm

Code	Description
09S300i	i-PoolRaptor Robotic Pool Cleaner 200W



Control box
3 working cycles:

⌚ 2 / 3 / 4h

Electric Pool Cleaners

Rechargeable Handheld Pool Vacuum

Rechargeable Handheld Pool Cleaner

The **Atecpool Hiker Pro** electric vacuum cleaner works underwater with a powerful suction that quickly and efficiently eliminates sand, gravel and other debris from the bottom of a pool or spa. Its rechargeable battery pack powers a vacuum pump to create suction without using hoses or electrical cords. It operates both as a handheld device or attaches to a long extension pole (not included). Installation is simple, with no tools required, allowing users to clean their pool quickly and efficiently with minimum effort.



CS50CBX

 **60 Min**
 **2500mAh**

CS50CBX	Specification
Voltage	12.6 V
Power	30 W
Battery capacity	2500 mAh
Battery life	60 min
Charging time	3 - 4 h
Flow rate	39 ltr/min
Filter density	250 pm
Container capacity	0.8 L
Max. pool depth	2 m
Net weight	2 kg
Gross weight	4 kg
Package size	50x25x20 cm

Features

- Rechargeable battery pack.
- Small valve allows filtered water to easily flow out of cleaner when pulled out of water.
- Debris is collected in an easy to empty rigid filter cone.
- Hold by handle or connect to a long extension pole (not included)
- Removable bristles are positioned on head for an efficient removal of debris.
- Recommended for: Medium pools & spas.
- Flow rate: 39ltr / min

Attributes

- Handheld with a long extension pole
- Starts with one button
- Powered by a rechargeable battery
- Ideal for all kind of pools, from large pools to small spas and hot tubs
- Equipped with a removable brush head ideal to scrub floor, wall and corners of the pool

Code	Description	Weight (kg)
CS50CBX	Rechargeable Pool Vacuum	8



Included

- 1 Pool Cleaner
- 1 Battery charger
- 1 filter cone with S.S. mesh
- 1 pole connector
- 1 handle
- 1 pivoting head w/ wheels
- 3 clip-in brushes

Cleaning Accessories

Vacuum Heads

Cleanstar Heavy-Duty Aluminium Vacuum Heads

- Made of anodized aluminium
- Ideal for in-ground pools, the unique 3- section articulated body enables vacuuming into the base of pool walls
- Extra heavy weight for easy gliding. Heavy-duty metal handle with pivot maintains good surface contact
- Non-slip wheels with stainless steel hardware
- Full-length underside brushes help dislodge debris
- EZ-clip handle facilitates connection to standard telepole. Fits 38mm / 1 1/2" and 50mm / 2" vacuum hoses
- New reinforced nylon structure



CS393CBX



CS3934

Cleanstar Aluminium Articulated Vacuum Head

Code	Description	Weight (kg)	Volume (m³)
CS393CBX	35cm / 14" CS Articulated Aluminium Vacuum Head	2.4	0.008
CS394CBX	45cm / 18" CS Articulated Aluminium Vacuum Head	2.8	0.008

Cleanstar Anodized Aluminium Vacuum Head

Code	Description	Weight (kg)	Volume (m³)
CS3934	35cm / 14" CS Aluminium Vacuum Head	2.0	0.008
CS3938	45cm / 18" CS Aluminium Vacuum Head	2.2	0.008

Cleanstar Flexible Vacuum Heads

Extra wide flexible body with ball-bearing wheels for smooth and easy gliding. Extra strong spring-loaded metal handle. Fits 38mm / 1 1/2" vacuum hoses.



CS763



CS902



CS894

Cleanstar Premium Extra Weight Vacuum Head

Flexible articulated pool cleaner with 35 cm head, extra weight for better performance.

Code	Description	Weight (kg)	Volume (m³)
CS763	35cm / 14" CS Premium Extra Weight Vacuum Head	2.2	0.008

Cleanstar Flexible Vacuum Head 35 cm / 14"

Code	Description	Weight (kg)	Volume (m³)
CS902	35cm / 14" CS Flexible Vacuum Head	1.2	0.008

Cleanstar Flexible Vacuum Head 48 cm / 19"

Code	Description	Weight (kg)	Volume (m³)
CS894	48cm / 19" CS Flexible Vacuum Head	1.6	0.008

Cleaning Accessories

Vacuum Heads and Handles



00510927

Triangular Vacuum Head

Transparent triangular shaped vacuum head, with brushes and clip type. Handle with swivel system. 1 1/2" hose connection and outer 2".

Code	Description	Weight (kg)	Volume (m³)
00510927	Triangular Vacuum Head	1.0	0.008



005109125

Flexible Vacuum Head Deluxe 35 cm / 14"

Flexible vacuum head with side brushes made in blue and white polyethylene. 35 cm head with 8 wheels and side brushes. Handle with swivel system. 1 1/2" hose connection and outer 2".

Code	Description	Weight (kg)	Volume (m³)
005109125	Flexo Vacuum head	1.1	0.008



00500011

Aluminium Vacuum Head

Vacuum head with wheels, anodised aluminium, clip type. 1 1/2" hose connection and outer 2".

Code	Description	Weight (kg)	Volume (m³)
00500010	35cm / 14" Aluminium Vacuum Head	2.0	0.008
00500011	45cm / 18" Aluminium Vacuum Head	2.2	0.008

Telescopic Poles



CS451

Cleanstar Telescopic Pole Corrugated

Extra heavy duty tubes with 1.4 mm wall thickness. Anodized aluminium in golden color. Ergonomically shaped lock and grip in dual material. Inner core made of hard and durable ABS. Soft comfortable grip.

Code	Description	Weight (kg)	Volume (m³)
CS451	Telescopic Pole 1.8 - 3.2 mtr GOLDEN	1.3	0.005
CS401	Telescopic Pole 2.4 - 4.8 mtr GOLDEN	1.8	0.005



00105001

Telescopic Pole Blue Professional

Telescopic pole in aluminium up to 4.8 m. Corrugated professional model for large pools, extra strong with 1.4 mm thickness.

Code	Description	Weight (kg)	Volume (m³)
00105001	Telescopic Pole 1.2 - 2.4 mtr BLUE Professional	1.2	0.005
00105001-1	Telescopic Pole 2.4 - 4.8 mtr BLUE Professional	1.8	0.005
00105001-2	Telescopic Pole 3.6 - 7.2 mtr BLUE Professional	3.2	0.005

Cleaning Accessories

Brushes and Leaf Rakes



Cleanstar Wall Brush Curved Metal Back

With long-lasting nylon bristles. Gold anodized aluminum handles.

Code	Description	Weight (kg)	Volume (m³)
CS494	45cm / 18" CS Metal Back Wall Brushes	0.6	0.008
CS495	60cm / 24" CS Metal Back Wall Brushes	1.0	0.008
CS496	90cm / 36" CS Metal Back Wall Brushes	1.2	0.008



Wall Brush Curved

Curved brush 45 cm Clip type. Nylon bristles.

Code	Description	Weight (kg)	Volume (m³)
00510930	45 cm Wall Brush Curved	0.3	0.008



Wall Brush Straight

Straight brush 26 cm Clip type. Nylon bristles.

Code	Description	Weight (kg)	Volume (m³)
00510932	26cm Wall Brush Straight	0.2	0.008



Algae Brush S.S. Bristles

Algae model brush 26 cm. Stainless Steel bristles. Clip type.

Code	Description	Weight (kg)	Volume (m³)
00510933	26cm Algae Brush SS Bristles	0.2	0.008



Cleanstar Deep Leaf Rake Aluminium

Heavy gauge aluminium frame and handle. Heavy-duty nylon net.

Code	Description	Weight (kg)	Volume (m³)
CS160	CS Deep Leaf Rake	0.4	0.008



Cleanstar Surface Leaf Skimmer Aluminium

Heavy gauge aluminium frame and handle. Heavy-duty nylon net.

Code	Description	Weight (kg)	Volume (m³)
CS161	CS Surface Leaf Skimmer	0.3	0.008



Cleaning Accessories

Floating Hose & Test Kit



00510934

Surface Leaf Net

Leaf Net Surface model. Manufactured in blue Polypropylene. The polyester net is welded to the leaf net frame.

Code	Description	Weight (kg)	Volume (m³)
00510934	Surface Leaf Net	0.22	0.008




00510935

Deep Leaf Net Deluxe

Leaf Net Deep model. Manufactured in blue Polypropylene. The polyester net is welded to the leaf net frame.

Code	Description	Weight (kg)	Volume (m³)
00510935	Leaf Net Deep	0.3	0.008



CS353

Cleanstar Floating Hose

High-performance vacuum hose Ø38mm / 1 1/2" with smooth internal walls to improve flow. Includes glued cuffs at each end. Shrink-wrap packaging.

Code	Description	Weight (kg)	Volume (m³)
CS353	Cleanstar Floating Hose 10 mtr	3.0	0.008
CS355	Cleanstar Floating Hose 12 mtr	4.5	0.008
CS396	Cleanstar Floating Hose 15 mtr	5.6	0.008
CS357	Cleanstar Floating Hose 30 mtr	11.2	0.008



CS529

Cleanstar 3-Way Test Kit pH & CL/BR

Measures pH, bromine / chlorine. Easy to read, and a more accurate scale. Includes 20ml (0.7 Fl. Oz.) phenol red & OTO reagents. Reagent bottles equipped with safety tops, for extra security.

Code	Description	Weight (kg)	Volume (m³)
CS529	CS 3-Way Test Kit	0.4	0.008



CS102

Cleanstar 2-Way Test Kit Refills OTO & pH RED

20ml (0.7 Fl. Oz.) phenol red & OTO reagents. Reagent bottles equipped with safety tops, for extra security.

Code	Description	Weight (kg)	Volume (m³)
CS102	CS 2-Way Test Refills	0.2	0.008



Cleaning Accessories

Digital Test Kit

Lovibond Scuba II Digital Test Kit



Specifications

- Every pool owner should check the most important parameters in his pool at regular intervals. This is the only way to ensure that water quality is maintained at the right level and to arrange dosing in an optimum manner.
- The Scuba II enables the operator to check the pool water quickly and accurately. The integrated sample chamber is filled by immersing it in the water.
- A tablet reagent is added and generates a characteristic colour which can be measured using the photometric principle. The result is then displayed on the screen. Five parameters: free chlorine, total chlorine, pH, alkalinity and stabilizer (cyanuric acid) are measured within a few minutes.

Code	Description	Optics	Power	Display	Dimensions (mm)	Weight (kg)
00505078	Scuba II Test Kit	Temperature-compensated LED ($\lambda = 530 \text{ nm}$) and photo-sensor	2 batteries (AAA), capacity ca. 100 tests	LCD	145 x 70 x 45	0.165



CS608



Cleanstar Jumbo Float Thermometer

Jumbo size with an easy-to-read scale. Can be read without having to take the thermometer out of the water. Securing cord included. 0°C - 50°C temperature range. Floats on pool surface. 40 cm height.



Code	Description	Weight (kg)	Volume (m³)
CS608	CS Jumbo Float Thermometer	0.4	0.008



CS785

Cleanstar Character Thermometer

Each item is in complete clamshell packaging, or ready-to-sell color display tray of 12pcs. High quality roto-molded body in 6 phthalate free-material. Large clear view thermometer scale. Includes securing cord. Characters like duck, dolphin, turtle, etc.



Code	Description	Weight (kg)	Volume (m³)
CS785	CS Character Thermometers	0.1	0.008